



**SystemPeter PICLIP** 

**MONTAGE SYSTEM**

Solid base of your terrace...  
[www.peterpiclip.pl](http://www.peterpiclip.pl)

## **Solid base of your terrace...**

Professional and invisible terrace montage system — SystemPeter PICLIP. Whole construction of system based on the aluminum joist, dedicated black montage clip and leveling system.

Montage system of SystemPeter PICLIP is used for composite, wooden or stone slab terrace.

All products are made from high quality materials. They are resisting the hardest conditions. Whole system is used on the big public investments also on the small terraces.

Special construction off clip allows us chance adjusted or replaced individual boards can be at any time

**SystemPeter PICLIP is as solid base of 100 000 sqm terrace in Europe.**





## ALUMINUM TERRACE SUBSTRUCTURE


Aluminum joists with special screw channel, which avoids lengthy drilling times. Special screw channel is intended to make all installations quicker and easier. Legar's are made from high-quality material, very durable and resistant to weather conditions. They do not corrode. The joist made of aluminum is highly resistant to deformation and twisting. The cross-aluminum construction is stronger and most resistance for loads.



### Legar SystemPeter PICLIP 50x39 mm

Art. No. 202406

Higher joist is stronger than different available substructure on the terrace building market. Special constructions with extra prop provide bigger support.




Load		Max. span L (mm) adjustable pedestals, Fmax = 14,0 kN						
		Axial distance e [mm] Legar SystemPeter PICLIP 50x39 mm						
kN/m <sup>2</sup>		300	350	400	450	500	550	600
2,0		1400	1350	1350	1300	1300	1250	1200
4		1250	1200	1150	1100	1050	1050	1000



### Legar SystemPeter PICLIP 24x39 mm

Art. No. 202433

The most popular is a small legar. It is used in all kinds of investment. Perfect suited for terraces with small high between ground and main terrace.



Load		Max. span L (mm) adjustable pedestals, Fmax = 8,0 kN						
		Axial distance e [mm] Legara SystemPeter PICLIP 24x39 mm						
kN/m <sup>2</sup>		300	350	400	450	500	550	600
2,0		800	750	750	700	700	650	650
4		650	600	600	550	550	500	500



## Corner connector 40x40 mm

Art. No 202404

Corner connector is used to connect two joists in contradiction.



## Legar's cross connectors 17x20 mm

Art. No 202443

It is used to connected two joists in perpendicularly in cross construction.



## Legar's connector 18x100 mm

Art. No 202444

It is used to connect two joists on length.





## Peter PUR — sealing mass

Art. No 202408

One-component sealing mass. Strong, elastic, sealing used in building and industry industries. The gray colour of Peter PUR made an invisible look of the full construction. To many kinds of surfaces Peter PUR uses:

- Bonding and sealing highly movable surfaces made of concrete, wood, WPC products, bitumen, stone, etc.
- Sealing expansion joints.
- Bonding plastic facade panels and decorative panels.



## Leveling „U“ pads

Plastic leveling pads are an extra solution for leveling the terrace. Leveling pads allow water to flow freely under the terrace. Range of leveling from 1-10 mm

## MIX 150 Leveling U pads


Art. No 202436

## MIX 250 Leveling U pads

Art. No 202435




## FASTENING ACCESSORIES



### **PICLIP**

Art. No. 202401

Black clip to hidden montage of the terrace decking with sides grooved, could be used for WPC or wooden boards. The clip makes a strong and flexible decking montage. Clips arrange 6 mm decking space automatically. In used PICLIP clips individual boards can be adjusted or replaced at any time.



### **Beginning clip**

Art. No. 202402

Clip begin montage first composite or wooden boards with side groove on terrace.



### **Wood— aluminum screw 5,5x45**


Art. No 2024168



### **Wood —aluminum screw 5,5x60**

Art. No 2024162

High quality A2 stainless steel screws for wood assembly to aluminum substructure. The screw is resistant to corrosion, high temperature and other weather conditions. They have a very long service life and they are abrasion resistant. They come in silver or antique colors.



# Leveling system SystemPeter PICLIP®

## ADJUSTABLE PEDESTALS



Leveling system of the SystemPeter PICLIP is system of high-quality pedestals made by Rinno Industry. Adjustable pedestals are best solutions to leveling system without grounded works. Our adjustable pedestals are used under ceramic, wooden or composite terrace. Two kinds of pedestals have saved installing time for combination building or changed head of pedestals. High resistant for weather conditions. Simple way to leveling terrace floor. Adjustable constructions are excellent for hiding pipes and equipment. It is also a quick drainage of water and additionally better thermal insulation. The sidewalk is always flat and easily accessible. Thanks to the adjustable supports, we can also out the level from 8 mm to 260 mm, and even more by using an extension, which makes it possible to arrange a support higher. With several years of experience, the adaptability of RINNO products is demonstrated reflected in the numerous achievements made to meet the requirements of our various customers, whether they are architects, private builders, public companies or individuals.





## Adjustable pedestals Rinno Industry for SystemPeter PICLIP®

### Technicality and sustainability

- Laying on all supports m<sup>2</sup>
- Bear more that 1T weight load
- Resistance to acidic and chemicals solutions
- Resistance to temperature variations (-30° to 60° C)
- Resistance to atmospheric agents



### Laying on all supports

- Grass
- Gravel
- Bitume
- Concetrated slab
- Old terrace
- Rooftop
- Watertightness




## ACCESSORIES FOR ADJUSTABLE PEDESTALS

SystemPeter PICLIP accessories for pedestals are a collection of elements that extend the possibilities of the leveling system. The connection with the pedestals gives additional products advantages. Complementing the leveling system gives a complete and reliable system even on the most demanding terrace.

### Extension

Art. No 202420

To increase the height of your pedestals, the use of extensions is the solution. The advantage of this accessory is that you can arrange up stack up to 4 extensions on a single pedestal, thus obtaining an additional total height of 440 mm. By adding 4 extensions to the highest 150-260 mm pedestal, you can reach a final height of 70 cm. Available in 60 mm size.



### Rubber volume pad under slab

Art. No 202421

Cushioning and soundproofing pad is an accessory used when installing a tiled terrace. Its primary function is to attenuate the vibrations triggered by movement on the surface of the terrace as well as to reduce the possible resonance.

### Self-leveling disc

Art. No 202423

The self-leveling disc is used to create or catch up to 5% slope over 1 meter. It is compatible with paving and decking pedestals. Easy to use; add the disc only where you need, it clips under the pedestal instantaneously.

### Peter MAT 25x25x2 mm


Art. No 202422

Flexible mat under the pedestals, securing the substrate against damage to the insulation.

### Pad under legar 8 mm

Art. No 202446


These spacers form a gap between the substructure and the foundation. Supported wooden or aluminum joists.





## CERAMIC TILES MONTAGE ACCESSORIES

Finishing terraces made of ceramic tiles is even easier than before. Terrace finishing system with side handles and a dilatation clip. It's a simple and quick solution. The elements of the installation of side terrace enclosures made of a ceramic plate are based on the installation of substructure plates from an adjustable pedestal. The dilatation clip and the upper border clip are dedicated to the heads of SystemPeter PICLIP pedestals, and the bottom side bracket is compatible with the base of the SystemPeter PICLIP adjustable pedestals. Thanks to the matching sizes, it is a stable and aesthetic connection supporting the entire side structure. The dilatation clip provides the same size expansion joints between the wall and the terrace. Due to its structure, the dilatation clip fulfills the function of water drainage as well as the function that starts the terrace substructure. The quality of the material of the mounting elements ensures durability for many years.



### **Dilatation clip**

Art. No 202449

The clip that is used to make the distance between the wall and terrace, also it has a drainage function.



### **Upper border clip**

Art. No 202445

A mounting element that holds the plate at the top. Aesthetic and stable finish of the ceramic slabs terrace border.



### **Bottom border clip**

Art. No 202448

Element holding the bottom of the side cover. Dedicated to adjustable pedestals of SystemPeter PICLIP. Aesthetic and stable finish of the ceramic slabs terrace border.



### **Clips for ceramic slabs**

Art. No 202424

A clip for mounting on a ceramic plate on a substructure made of aluminum joists. Construction of clip prepares automatically position the expansion joints between the slabs.

### **Side clips for ceramic slabs**

Art. No 202425

A clip for mounting ceramic plates on aluminum joists. Used at the ends of the terrace, prevent individual stone slabs from slipping.



# ADJUSTABLE PEDESTALS

PRODUCT	Art.. No.	HEIGHT	AMOUNT IN A CARTON	AMOUNT ON PALLET
FIXED PEDESTAL 8 mm FOR PAVING	Art. No 202409	8 mm	100	4500
ADJUSTABLE PEDESTAL 8-20 mm FOR PAVING	Art. No 2024315	8-20 mm	100	3000
ADJUSTABLE PEDESTAL 25-40 mm FOR PAVING	Art. No 202410	25-40 mm	88	2640
ADJUSTABLE PEDESTAL 40-60 mm FOR PAVING	Art. No 202411	40-60 mm	120	1440
ADJUSTABLE PEDESTAL 60-90 mm FOR PAVING	Art. No 202412	60-90 mm	84	1008
ADJUSTABLE PEDESTAL 90-150 mm FOR PAVING	Art. No 202413	90-150 mm	60	720
ADJUSTABLE PEDESTAL 150-260 mm FOR PAVING	Art. No 202414	150-260 mm	48	576
ADJUSTABLE PEDESTAL 8-20 mm FOR DECKING	Art. No 2024314	8-20 mm	100	3000
ADJUSTABLE PEDESTAL 25-40 mm FOR DECKING	Art. No 202415	25-40 mm	70	2100
ADJUSTABLE PEDESTAL 40-60 mm FOR DECKING	Art. No 202416	40-60 mm	120	1440
ADJUSTABLE PEDESTAL 60-90 mm FOR DECKING	Art. No 202417	60-90 mm	84	1008
ADJUSTABLE PEDESTAL 90-150 mm FOR DECKING	Art. No 202418	90-150 mm	60	720
ADJUSTABLE PEDESTAL 150-260 mm FOR DECKING	Art. No 202419	150-260 mm	48	576

## LEVELING U PADS

Leveling U Pad blue	Art. No 202426	1 mm	1000 pcs / carton
Leveling U Pad white	Art. No 202427	2 mm	1000 pcs / carton
Leveling U Pad red	Art. No 202428	3 mm	1000 pcs / carton
Leveling U Pad black	Art. No 202429	4 mm	1000 pcs / carton
Leveling U Pad green	Art. No 202430	5 mm	500 pcs / carton
Leveling U Pad yellow	Art. No 202431	10 mm	500 pcs / carton







## ALUELEWACJE Peter PICLIP - Fascade System

The highest quality fascade aluminum system, light and suitable all kind of building wall construction High resistant on weather conditions, UV or low temperature. Aluminum is a high quality and long-life material. The facades do not need any conservations through years.

Wood – like and RAL decors of facade profiles are a modern design. It combines the beauty of wood and the convenience of use. The facades are impressive and at the same time aesthetic solution for finishing public and industrial buildings as well as single-family houses



The facades are available in similar wood decors as well as in colors from the RAL palette.



[www.peterpiclip.pl](http://www.peterpiclip.pl)

[biuro@peterpiclip.pl](mailto:biuro@peterpiclip.pl)

+48 508 148 902 | +48 510 402 546

+48 501 398 941 | +48 798 806 170

[www.facebook.com/pg/SystemPeterPICLIP](https://www.facebook.com/pg/SystemPeterPICLIP)

@SystemPeterPICLIP

